



LIFTING EQUIPMENT AND RIGGING



ISO 9001:2008

The high-quality products, marked with the BULL-LIFTING logo, guarantee safety and reliability in all load carrying operations.

All products of the BULL-LIFTING brand are distinguished by the following:

1. Quality that is more than reliable and fully corresponds to the high requirements of the European and the International market.

2. TÜV certificate for correspondence with the European stand-ards - all BULL-LIFTING products are carefully tested and strictly certified by the TÜV Rheinland group; the performed tests are both for the input materials and for the technical and quality parameters. Each BULL-LIFTING product comes with a relevant TÜV certificate, with recognizable CE marking and

REGISTERED TRADE MARK



- 1. High-strength load chains and chain slings, grade 8 and 10;
- 3. Wireropeslings;
- links, etc;
- 5. Vertical andhorizontal lifting clamps;



- 2. Webbing and round slings;
- 4. All kind of riggings-master links, hooks, shackles, connecting

corresponds to all European requirements.

3. Additional guarantee and high assurance for the client thanks to the special "Product liability" insurance conclud- ed with a leading International insurance company for all BULL-LIFTING products, all our clients receive even more reliability.

- 4. Patented and officially registered trademark.
- 5. Our own unique design.

6. Reliable after-sale service and available spare parts - all BULL-LIFTING products are secured with spare parts which can be delivered to the client; if necessary, the products can also be repaired in the specialized company service.

7. Environmental care - all BULL-LIFTING products are en-vironmental friendly and all the packings can be recycled.



- 6. Lever and chain hoists;
- 7. Ratchet load binders;
- 8. Lifting magnets;
- 9. Clamps for special purpose-drum clamps, concrete pipe clamps, steel pipe clamps with protection, beam clamps etc



CERTIFICATES TÜV

CERTIFICATES

ing the

















WIRE ROPESLINGS





WLL OF WIRE ROPE SLINGS FROM ROPES 6x36 AND 6x19 WITH FC





WLL OF WIRE ROPE SLINGS FROM ROPES 6x36 AND 6x19 WITH IWRC

	One leg	Two	legs	Three a fo	and ur legs	Endless		One leg	
	0°	0°÷45°	45°÷60°	0°÷45°	45°÷60°	0°		0°	0°÷
Working angle	900			Ð		8	Workin angle	90	
Rope	direct	direct	direct	direct	direct	choked	Rope	e direct	diı
diameter			WL	diamet	er				
8	0,700	0,950	0,700	1,50	1,05	1,10	8	0,750	1,
9	0,850	1,20	0,850	1,80	1,30	1,40	9	0,950	1,
10	1,05	1,50	1,05	2,25	1,60	1,70	10	1,15	1,
11	1,30	1,80	1,30	2,70	1,95	2,12	11	1,40	2,
12	1,55	2,12	1,55	3,30	2,30	2,50	12	1,70	2,
13	1,80	2,50	1,80	3,85	2,70	2,90	13	2,00	2,
14	2,12	3,00	2,12	4,35	3,15	3,30	14	2,25	3,
16	2,70	3,85	2,70	5,65	4,20	4,35	16	3,00	4,
18	3,40	4,80	3,40	7,20	5,20	5,65	18	3,70	5,
20	4,35	6,00	4,35	9,00	6,50	6,90	20	4,60	6,
22	5,20	7,20	5,20	11,0	7,80	8,40	22	5,65	7,
24	6,30	8,80	6,30	13,5	9,40	10,0	24	6,70	9,
26	7,20	10,0	7,20	15,0	11,0	11,8	26	7,80	1'
28	8,40	11,8	8,40	18,0	12,5	13,5	28	9,00	12
32	11,0	15,0	11,0	23,5	16,5	18,0	32	11,8	10
36	14,0	19,0	14,0	29,0	21,0	22,5	36	15,0	2
40	17,0	23,5	17,0	36,0	26,0	28,0	40	18,5	26
44	21,0	29,0	21,0	44,0	31,5	33,5	44	22,5	3
48	25,0	35,0	25,0	52,0	37,0	40,0	48	26,0	37
52	29,0	40,0	29,0	62,0	44,0	47,0	52	31,5	44
56	33,5	47,0	33,5	71,0	50,0	54,0	56	36,0	50
60	39,0	54,0	39,0	81,0	58,0	63,0	60	42,0	58
Factor KL	1	1,4	1	2,1	1,5	1,6	Factor	K∟ 1	1

	One leg Two legs		Three a	Endless			
	0°	0°÷45°	45°÷60°	0°÷45°	45°÷60°	0°	
Working angle	900			Å		8	
Rope	direct	direct	direct	direct	direct	choked	
diameter	WLL (T)						
8	0,750	1,05	0,750	1,55	1.10	1,20	
9	0,950	1,30	0,950	2,00	1,40	1,50	
10	1,15	1,60	1.15	2,40	1,70	1,85	
11	1,40	2,00	1,40	3,00	2,12	2,25	
12	1,70	2,30	1,70	3,55	2,50	2,70	
13	2,00	2,80	2,00	4,15	3,00	3,15	
14	2,25	3,15	2,25	4,80	3,40	3,70	
16	3,00	4,20	3,00	6,30	4,50	4,80	
18	3,70	5,20	3,70	7,80	5,65	6,00	
20	4,60	6,50	4,60	9,80	6,90	7,35	
22	5,65	7,80	5,65	11,8	8,40	9,00	
24	6,70	9,40	6,70	14,0	10,0	10,6	
26	7,80	11,0	7,80	16,5	11,5	12,5	
28	9,00	12,5	9,00	19,0	13,5	14,5	
32	11,8	16,5	11,8	25,0	17,5	19,0	
36	15,0	21,0	15,0	31,5	22,5	23,5	
40	18,5	26,0	18,5	39,0	28,0	30,0	
44	22,5	31,5	22,5	47,0	33,5	36,0	
48	26,0	37,0	26,0	55,0	40,0	42,0	
52	31,5	44,0	31,5	66,0	47,0	50,0	
56	36,0	50,0	36,0	76,0	54,0	58,0	
60	42,0	58,0	42,0	88,0	63,0	67,0	
Factor K _L	1	1,4	1	2,1	1,5	1,6	





GENERAL RANGE OF PRODUCTS

I. CHAINS

- 1. Roller chains
- 2 Conveyor chains
- 3. Special chains –P.I.V chains, silent chains, conveyor chains, rotary chains, etc.
- 4. Round-link chains
- 5. Agricultural chains
- 6. Connecting links
- 7. Sprockets

II. RIGGING EQUIPMENTS

- 1. Chain slings and load chains
- 2 Webbings
- 3. Wire rope slings and ropes
- 4. Lifting clamps horizontal and vertical
- 5. Lifting magnets
- 6. Lever and chain hoists
- 7. Rigging elements hooks, master links, shackles, links, lifting points, ring-bolts, wire clips, etc.
- 8. Cargo anchoring webbings and chains



III. WOVEN CLOTH AND WELDED MESH

- 1. Stainless woven clothes
- 2 Welded mesh
- 3. Crimped mesh
- 4. Perforated mesh
- 5. Filters

IV. ROPES

- 1. Standard steel wire ropes
- 2 Special steel wire ropes
- 3. Synthetic ropes
- 4. Elements ferrules, clips, turnbuckles, thimbles, quick connecting links, etc.



Webbing slings



Chain slings



Wire rope slings



Clamps



Chain and lever hoists



Magnets



Hooks



Master links and shackles



Lifting points and wire rope clips



office: Bilion trade FM s.r.o. Panské Nové Dvory 2461 738 01 Frýdek-Místek, Czech Republic email: info@biliontrade.eu tlf: +420 733 577 274



Internet: www.bull-lifting.com